



Extraction temperature stability and group adjustment of temperatures. LIFE and LIFE HIGH CUP prove their performances whatever the user, the volume and the environment.



- Mixed hot water programmable in 2 temperatures and dose Replacement of the buttons by manual taps for steam and hot water on request
- Eco standby mode: the machine goes into standby mode when not in use, heating is regulated at 80° and the consumption of water and electricity are reduced.
- Anti-Pics: eliminates temperature variations during the different coffee cycles thanks to a mixer tap.
- Electromagnetic rotary pump: 120 L/h on 1 and 2 groups, 200 L/h on 3 groups
- -GID-R.: Possibility to set the temperature of each group independently.
- Adjustable PID: electronic boiler temperature control
- · Coffee circuit cleaning programme: press buttons 1 and 5 simultaneously to start a cycle.

Side panels colours :





Machine Finition: Shiny Stainless Steel

LIFE		1 GROUP	2 GROUPS	3 GROUPS
Steam Nozzle		- ou l	1 ou 2	1 ou 2
Hot Water		1	1	1
Latte Art		- ou 1	1 ou 2	1 ou 2
Boiler Capacity		6,2L	11,4L	18,7L
Connection		230V 50/60Hz	230V 50/60Hz 400V 50/60Hz	230V 50/60Hz 400V 50/60Hz
Heating Capacity		2100W	3300W 3800W	4200W 6200W
Dimensions	Weight	42kg	60kg	80kg
	Width	430mm	710mm	930mm
	Height	510mm	510mm	510mm
	Depth	510mm	510mm	510mm

ALL OUR MACHINE ARE SOLD:

- 1 standard filter holder 1 cup and filter
- 1 standard filter holder 2 cups for each group and filter(s)
- 1 box of 3O cleaning tablets for espresso machine
- 1 cleaning brush and 1 obturator
- 1 metal braid for water supply
- 1 flexible plastic tube for water drainage

LIFE HIGH CUP

Ergonomics, design and technologies adapted for drinks in high cups.
Retractable drawers allow the height of the worktop to be shortened to work with short cups as well.











Colour options available on Life and Life High Cup: Dark Edition / Black & White / Black

LIFE HIGH CUP		2 GROUPS	3 GROUPS
Steam Nozzle		1 ou 2	1 ou 2
Hot Water		1	1
Latte Art		Disponible	Disponible
Boiler Capacity		11,4L	18,7L
Connection		230V 50/60Hz 400V 50/60Hz	230V 50/60Hz 400V 50/60Hz
Heating Capacity		3300W 3800W	4200W 6200W
Dimensions	Weight	76kg	95kg
	Width	710mm	930mm
	Height	600mm	600mm
	Depth	510mm	510mm

HISTORY

Created in Strasbourg in 1919, the company first developed its know-how in chrome plating. Its prestigious customers, including Bugatti, manufacturer of orthopaedic devices, appreciate precisions and industrial technical skills. In 1927, the Reneka brand was created to take position on the market of goldsmith's and silversmith's trade, with its own models of silver cutlery, intended for restorers. In 1932, a first coffee machine completed the restaurant offer: mural, entirely chrome-plated and designed on the principle of the steam percolator. Its design and reliability quickly won over professionals. After 80 years of experience in the design and manufacture of espresso machines, the company is now one of the leading manufacturers of espresso machines in the world. With a strong attachment for tradition, the passion for coffee and technology, the company is the result of decades of work carried out by ingenious innovators and perfectionists.



www.reneka.com

